

The Handbook of Geographic Information Science

Blackwell Companions to Geography

Blackwell Companions to Geography is a blue-chip, comprehensive series covering each major subdiscipline of human geography in detail. Edited and contributed to by the disciplines' leading authorities each book provides the most up to date and authoritative syntheses available in its field. The overviews provided in each Companion will be an indispensable introduction to the field for students of all levels, while the cutting-edge, critical direction will engage students, teachers, and practitioners alike.

Published

1. *A Companion to the City*

Edited by Gary Bridge and Sophie Watson

2. *A Companion to Economic Geography*

Edited by Eric Sheppard and Trevor J. Barnes

3. *A Companion to Political Geography*

Edited by John Agnew, Katharyne Mitchell, and Gerard Toal
(Gearoid O Tuathail)

4. *A Companion to Cultural Geography*

Edited by James S. Duncan, Nuala C. Johnson, and Richard H. Schein

5. *A Companion to Tourism*

Edited by Alan A. Lew, C. Michael Hall, and Allan M. Williams

6. *A Companion to Feminist Geography*

Edited by Lise Nelson and Joni Seager

7. *The Handbook of Geographic Information Science*

Edited by John P. Wilson and A. Stewart Fotheringham

The Handbook of Geographic Information Science

Edited by

John P. Wilson

and

A. Stewart Fotheringham



© 2008 by Blackwell Publishing Ltd

BLACKWELL PUBLISHING

350 Main Street, Malden, MA 02148-5020, USA
9600 Garsington Road, Oxford OX4 2DQ, UK
550 Swanston Street, Carlton, Victoria 3053, Australia

The right of John P. Wilson and A. Stewart Fotheringham to be identified as the Authors of the Editorial Material in this Work has been asserted in accordance with the UK Copyright, Designs, and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs, and Patents Act 1988, without the prior permission of the publisher.

First published 2008 by Blackwell Publishing Ltd

1 2008

Library of Congress Cataloging-in-Publication Data

The handbook of geographic information science / edited by John P. Wilson and A. Stewart Fotheringham.

p. cm. — (Blackwell companions to geography)

Includes bibliographical references and index.

ISBN 978-1-4051-0795-2 (hardback : alk. paper) — ISBN 978-1-4051-0796-9 (pbk. : alk. paper)

1. Geography—Data processing. 2. Geographic information systems. I. Wilson, John P. (John Peter), 1955— II. Fotheringham, A. Stewart.

G70.2.H356 2008

910.285—dc22

2007008297

A catalogue record for this title is available from the British Library.

Set in 10/12pt Sabon

by Graphicraft Limited, Hong Kong

Printed and bound in Singapore

by Utopia Press Pte Ltd

The publisher's policy is to use permanent paper from mills that operate a sustainable forestry policy, and which has been manufactured from pulp processed using acid-free and elementary chlorine-free practices. Furthermore, the publisher ensures that the text paper and cover board used have met acceptable environmental accreditation standards.

For further information on
Blackwell Publishing, visit our website:
www.blackwellpublishing.com

Contents

| | |
|---|------|
| <i>List of Figures</i> | viii |
| <i>List of Contributors</i> | xiv |
| Geographic Information Science: An Introduction | 1 |
| Part I Data Issues | 9 |
| 1 The Availability of Geographic Data: The Current Technical and Institutional Environment <i>David J. Cowen</i> | 11 |
| 2 Social Data <i>David J. Martin</i> | 35 |
| 3 Remote Sensing <i>Brian G. Lees</i> | 49 |
| 4 Spatialization <i>André Skupin and Sara I. Fabrikant</i> | 61 |
| 5 Uncertainty in Spatial Databases <i>Ashley Morris</i> | 80 |
| 6 On the Identification of Uncertainties in Spatial Data and Their Quantification with Probability Distribution Functions <i>James D. Brown and Gerald B. M. Heuvelink</i> | 94 |
| Part II Database Trends and Challenges | 109 |
| 7 Object-Oriented Database Management Systems <i>Shashi Shekhar and Ranga Raju Vatsavai</i> | 111 |
| 8 Adding the Z Dimension <i>Michael F. Hutchinson</i> | 144 |

| | | |
|-----------------|--|-----|
| 9 | Adding Time into Geographic Information System Databases <i>May Yuan</i> | 169 |
| 10 | Geospatial Data Integration <i>Craig A. Knoblock and Cyrus Shahabi</i> | 185 |
| Part III | Visualization | 197 |
| 11 | Mapping in a Digital Age <i>William E. Cartwright</i> | 199 |
| 12 | Generalization of Spatial Databases <i>William A. Mackaness</i> | 222 |
| 13 | Geographic Information Systems and Surfaces <i>Nicholas J. Tate, Peter F. Fisher, and David J. Martin</i> | 239 |
| 14 | Fuzzy Classification and Mapping <i>Vincent B. Robinson</i> | 259 |
| 15 | Rule-Based Mapping <i>A-Xing Zhu</i> | 273 |
| 16 | Multivariate Geovisualization <i>Mark Gahegan</i> | 292 |
| 17 | Virtual Reality in Geographic Information Systems <i>Michael Batty</i> | 317 |
| Part IV | Knowledge Elicitation | 335 |
| 18 | Inference and Spatial Data <i>Chris Brunsdon</i> | 337 |
| 19 | Geographic Data Mining and Knowledge Discovery <i>Harvey J. Miller</i> | 352 |
| 20 | The Geospatial Semantic Web <i>Frederico Fonseca</i> | 367 |
| Part V | Spatial Analysis | 377 |
| 21 | Quantitative Methods and Geographic Information Systems <i>Martin E. Charlton</i> | 379 |
| 22 | Spatial Cluster Analysis <i>Geoffrey M. Jacques</i> | 395 |
| 23 | Terrain Analysis <i>Yongxin Deng, John P. Wilson, and John C. Gallant</i> | 417 |
| 24 | Dynamic Modeling <i>Jochen Albrecht</i> | 436 |

| | | |
|-----------------|--|-----|
| Part VI | Geographic Information Systems and Society | 447 |
| 25 | Institutional Geographic Information Systems and Geographic Information Partnering <i>David L. Tulloch</i> | 449 |
| 26 | Participatory Geographic Information Systems <i>Daniel Weiner and Trevor M. Harris</i> | 466 |
| 27 | Geographic Information Systems and Participatory Decision Making <i>Piotr Jankowski and Timothy L. Nyerges</i> | 481 |
| 28 | Surveys of People and Place <i>Peter H. Dana</i> | 494 |
| 29 | Geographic Information Science, Personal Privacy, and the Law <i>George C. H. Cho</i> | 519 |
| 30 | Geographic Information Systems in Education <i>Joseph J. Kerski</i> | 540 |
| Part VII | Future Trends and Challenges | 557 |
| 31 | Web-based Geographic Information Systems <i>Christopher B. Jones and Ross S. Purves</i> | 559 |
| 32 | Location-based Services and Geographic Information Systems <i>Allan J. Brimicombe</i> | 581 |
| 33 | Geographic Information Science: The Grand Challenges <i>Michael F. Goodchild</i> | 596 |
| 34 | Geographic Information Science: Where Next? <i>Andreas Reuter and Alexander Zipf</i> | 609 |
| | <i>Index</i> | 620 |

Figures

| | | |
|------|--|----|
| 0.1 | Geographic Information Science (GISc): An Overview | 2 |
| 1.1 | Geographic data marketplace | 13 |
| 1.2 | Data flow to and from government | 16 |
| 1.3 | Fundamental issues in spatial data transfer | 18 |
| 1.4 | The Spatial Data Transfer Standard | 18 |
| 1.5 | Content standard for digital geospatial metadata | 22 |
| 1.6 | FGDC decision tree | 23 |
| 1.7 | FGDC steps to create a clearinghouse | 24 |
| 1.8 | Geospatial One-Stop | 26 |
| 1.9 | US Fish and Wildlife Service Wetlands Mapper | 27 |
| 1.10 | The National Map | 28 |
| 1.11 | The National Map Seamless Data Distribution System Viewer | 29 |
| 1.12 | The National Atlas | 31 |
| 1.13 | The Geography Network | 32 |
| 2.1 | Comparison of principal social data sources | 38 |
| 3.1 | Some typical platforms and instrument packages | 50 |
| 4.1 | Census-based visualization of trajectories of Texas counties | 65 |
| 4.2 | Cases of convergence and divergence in a spatialization of Texas county trajectories | 65 |
| 4.3 | Scatter plots derived from demographic data for US states | 66 |
| 4.4 | Spatializations derived from 32 demographic variables | 66 |
| 4.5 | Portion of a spatialization of conference abstracts | 69 |
| 4.6 | Procedure for deriving a spatialization from AAG conference abstracts | 70 |
| 4.7 | Conference abstract as unstructured text | 71 |
| 4.8 | Conference abstract in semi-structured form as part of an XML file | 71 |
| 4.9 | Application of spring model layout and pathfinder network scaling | 73 |
| 4.10 | The tree map method | 74 |
| 4.11 | Use of GIS in implementing scale-dependent spatialization | 74 |

| | | |
|-------|---|-----|
| 5.1 | Case in which the points are stored in the database and connected in order from the last point back to the first point | 84 |
| 5.2 | Case in which the segments between the points are connected in no particular order | 84 |
| 7.1 | Evolution of databases | 112 |
| 7.2 | Census blocks with boundary ID:1050 | 115 |
| 7.3 | Four tables required in a relational database with overlapping attributes | 115 |
| 7.4 | Three-layer architecture | 118 |
| 7.5 | An OGIS proposal for building blocks of spatial geometry in UML notation | 119 |
| 7.6 | The buffer of a river and points within and outside the resultant buffer | 135 |
| 8.1 | Contour, point elevation, and streamline data | 148 |
| 8.2 | Minimum curvature gridding of point elevation data with spurious sinks or depressions | 153 |
| 8.3 | Spurious sinks removed from the surface in Figure 8.2 by the drainage enforcement algorithm | 154 |
| 8.4 | Contours and inferred stream lines and ridge lines derived by the ANUDEM procedure | 155 |
| 8.5 | Plot of root mean square slope of a DEM versus DEM resolution | 156 |
| 8.6 | Spline model of annual mean precipitation over topography | 161 |
| 9.1 | Examples of representations of temporal information in a relational data model | 174 |
| 9.2 | Examples of representations of spatio-temporal information in a GIS environment | 175 |
| 9.3 | A conceptual framework for a three-domain model | 177 |
| 10.1 | A wrapper converts the New York State Property Database into structured data that can then be integrated with other sources | 187 |
| 10.2 | Automatic conflation of vector data with imagery | 189 |
| 10.3 | Integrating and reasoning about the property tax data, satellite imagery, and road vector data to identify the structures in an image | 190 |
| 10.4 | Automatic conflation of maps with imagery | 192 |
| 10.5 | Results of conflating MapQuest map with imagery | 192 |
| 10.6 | Integration of train schedules with vector data and maps | 194 |
| 11.1 | CEEFAX weather map | 202 |
| 11.2 | Minitel “kiosk” | 202 |
| 11.3 | <i>Aspen Movie Map</i> Project | 204 |
| 11.4 | Surrogate walk from the Domesday Community disc | 205 |
| 11.5 | Territorial evolution of Canada | 206 |
| 11.6 | Ashdowne’s <i>Virtual Atlas</i> – initial text interface | 207 |
| 11.7 | Perry-Castañeda Library, The University of Texas at Austin map of Australia | 208 |
| 11.8 | CIA World Fact Book map of Australia | 209 |
| 11.9 | MapQuest – Victoria, Australia | 210 |
| 11.10 | Bodleian Library: Plan for rebuilding . . . London – J Evelyn 1666 | 211 |

| | | |
|-------|--|-----|
| 11.11 | LandChannel, Government of Victoria | 211 |
| 11.12 | WhereIs map information | 212 |
| 11.13 | Australian Coastal Atlas | 214 |
| 11.14 | National Atlas of Canada Quick Maps | 215 |
| 11.15 | Atlas of Switzerland | 216 |
| 11.16 | WAP-enabled cellular telephone delivering map information from Webraska | 217 |
| 12.1 | 1:25,000, 1:100,000, and 1:250,000 | 224 |
| 12.2 | Generalization as a sequence of modeling operations | 225 |
| 12.3 | Model and cartographic generalization acting in unison to reveal different qualities about The Tower of London | 225 |
| 12.4 | Generalization in the context of automated solutions | 227 |
| 12.5 | The choice, sequence, and degree of application of various methods enable synthesis of different solutions | 229 |
| 12.6 | Transformations with decreasing map scale, and corresponding scale bands for a topographic map | 231 |
| 12.7 | Examples drawn from paper maps of building generalization at various scales | 231 |
| 12.8 | Decision tree for key buildings | 232 |
| 12.9 | Different products according to theme and scale derived from the same source | 233 |
| 13.1 | Sample frame for soil fertility characteristics | 242 |
| 13.2 | Sample frame for LiDAR data | 243 |
| 13.3 | A TIN generated from the points displayed in Figure 13.2 | 245 |
| 13.4 | LiDAR derived raster hillshade, TIN, and TIN hillshade | 246 |
| 13.5 | Perspective surface views and TINS with and without adaptive LOD proportional to the viewpoint | 247 |
| 13.6 | Kernel estimation of a reference-interval function | 248 |
| 13.7 | An isoline visualization or contour map | 249 |
| 13.8 | A filled contour visualization of the same area as is shown in Figure 13.7 | 250 |
| 13.9 | A psuedo-3D view of the same general area as is shown in Figure 13.7 | 251 |
| 13.10 | A slope map of the same area as is shown in Figure 13.7 | 252 |
| 13.11 | Hillshaded maps of the same area as is shown in Figure 13.7 | 253 |
| 13.12 | A navigable 3D view of the area around the University of Leicester | 254 |
| 14.1 | A simple example of typical results from using the FCM algorithm | 265 |
| 15.1 | Knowledge-based approach to rule-based mapping under GIS | 275 |
| 15.2 | Example of descriptive knowledge expressed as a rule for rule-based mapping | 275 |
| 15.3 | A distribution of Soil Series Basco in Pleasant Valley, Wisconsin, USA | 280 |
| 15.4 | The metrics of a fuzzy membership function | 281 |
| 15.5 | Three basic forms of membership functions | 282 |

| | | |
|-------|---|-----|
| 15.6 | The predicted distribution of Soil Series Basco in Pleasant Valley, Wisconsin, USA based on a fuzzy implementation of the rule in Figure 15.2 | 285 |
| 15.7 | Predicted distribution of soil series in Pleasant Valley, Wisconsin, USA based on a Boolean implementation of the rules in Figure 15.8 | 287 |
| 15.8 | Descriptive rules for soils in Pleasant Valley, Wisconsin, USA | 287 |
| 15.9 | Predicted distribution of soil series in Pleasant Valley, Wisconsin, USA based on a fuzzy implementation of the rules in Figure 15.8 | 288 |
| 15.10 | Uncertainty map associated with the soil map produced under the fuzzy implementation of the rules for the Pleasant Valley area | 289 |
| 16.1 | Thematic map of population by county for the conterminous 48 states of the USA | 297 |
| 16.2 | Visualization of changes in population growth and immigrant population using proportional circles | 298 |
| 16.3 | Which inner circle seems bigger? A visual illusion concerning the size of circles | 298 |
| 16.4 | Characterization of oil reservoirs through time | 299 |
| 16.5 | A parallel coordinate plot (PCP) showing demographic and related information for the 48 conterminous US states | 300 |
| 16.6 | Multiple scatterplots and bivariate maps of demographics and cancer-related data, organized in a matrix | 301 |
| 16.7 | Scatterplot matrix showing land cover data and decision tree rules used in classifying the data | 302 |
| 16.8 | A surface produced by clustering US states based on their demographic properties | 303 |
| 16.9 | The city of London during the seventeenth century | 304 |
| 16.10 | A concept map depicting events that have shaped the landscape of central Pennsylvania | 305 |
| 16.11 | A visualization of 100 census variables showing correlation and entropy | 306 |
| 17.1 | The basic geometric model built in <i>ArcScene</i> and an example of a finely rendered building imported into the scene | 321 |
| 17.2 | A geographic “sea” showing the intensity of retail activity layered onto the 3D geometry of central London | 323 |
| 17.3 | A typical fly-through in virtual London | 324 |
| 17.4 | Porting the digital model and various panoramas into a virtual world | 326 |
| 17.5 | The Arthur interface | 327 |
| 17.6 | Geographic visualization of web traffic | 329 |
| 17.7 | Interfaces to GIS using 3D globes | 330 |
| 17.8 | Constructing the Simulacra | 332 |
| 17.9 | Printing the virtual city using CAD/CAM technology | 333 |
| 18.1 | The location of study area (LHS) and the houses in the samples (RHS) | 342 |
| 18.2 | Posterior distribution for $\delta = \mu_1 - \mu_2$ | 345 |

| | | |
|-------|--|-----|
| 19.1 | A concept hierarchy for <i>location</i> | 355 |
| 19.2 | A data cube for traffic data attributed by date, time of day, and station | 356 |
| 19.3 | Traffic map cube visualization by date, time of day, and station | 360 |
| 19.4 | Traffic map cube visualization by date, time of day, and geographic location | 361 |
| 22.1 | Cluster morphology of cancer incidence on Long Island | 405 |
| 22.2 | Cluster change and persistence | 406 |
| 22.3 | Cluster change and persistence continued | 407 |
| 22.4 | Cluster change and persistence continued | 408 |
| 22.5 | Disparity clusters | 410 |
| 22.6 | Information frames provide cogent summaries of the properties of spatial cluster statistics | 412 |
| 23.1 | Schematic diagram showing site-specific, local, and regional interaction as a function of time | 419 |
| 23.2 | Watershed modeling with GIS and WEPP | 424 |
| 23.3 | Scale effects of terrain analysis | 430 |
| 24.1 | Eight possible ATC commands for a single aircraft | 440 |
| 25.1 | A conceptual diagram of multipurpose land information system development | 453 |
| 26.1 | The relations of GIS, participation, and the Internet in the case studies | 470 |
| 28.1 | CCARC Central American mapping projects | 496 |
| 28.2 | CCARC Nicaraguan map detail with large point symbols and line hatching indicating survey imprecision | 499 |
| 28.3 | Tiling and overlaps in CCARC Nicaraguan <i>Bloques</i> | 500 |
| 28.4 | Draft map of Krukira with straight lines between points | 501 |
| 28.5 | Sketch map of Auka, Honduras | 502 |
| 28.6 | Topographic map of Auka, Honduras | 504 |
| 28.7 | Waterproof kit contents | 505 |
| 28.8 | DGPS receiver and pocket PC with ArcPad data collection software | 510 |
| 28.9 | GPS waterproof notebook pages | 511 |
| 28.10 | Position types: Direct, indirect, registered, and estimated | 512 |
| 28.11 | Land use categories and symbols for Nicaragua | 513 |
| 28.12 | Land use categories and symbols for Honduras | 514 |
| 28.13 | Final map of Auka, Honduras | 515 |
| 28.14 | Land use differences in overlap between Ahuas and Wawina, Honduras | 516 |
| 30.1 | PC monitor in Texas high school showing series of themes for Africa | 541 |
| 30.2 | Dimensions of GIS education | 542 |
| 30.3 | Student displaying the results of his GIS analysis in 3D | 552 |
| 31.1 | Example from the Pont map collection | 561 |
| 31.2 | City of Vallejo economic development information system | 563 |
| 31.3 | Options for thematic map and resulting presentation of Scottish census data | 564 |

| | | |
|-------|--|-----|
| 31.4 | The interface of the USGS seamless data distribution system | 566 |
| 31.5 | An example search for data with GeoXWalk | 567 |
| 31.6 | Three-tier web GIS architecture | 570 |
| 31.7 | Open web services framework | 572 |
| 31.8 | Interoperating web map Services | 573 |
| 31.9 | Two representations of the same data using different style layer descriptors and an extract from the SLD | 574 |
| 31.10 | A thin client and a thick client | 576 |
| 31.11 | Ordnance Survey MasterMap data displayed as SVG | 576 |
| 31.12 | Example of the use of SVG | 577 |
| 32.1 | The technological niche of LBS | 583 |
| 32.2 | Experimental PDA interface for LBS that provides map, text and voice wayfinding instructions | 585 |
| 32.3 | Basic system architecture for LBS | 586 |
| 34.1 | Object-centric location models | 616 |

Contributors

Jochen Albrecht

Department of Geography, Hunter College, City University of
New York, 695 Park Avenue, New York, NY 10021, USA.
E-mail: jochen@geo.hunter.cuny.edu

Michael Batty

Centre for Advanced Spatial Analysis, University College London, 1–19
Torrington Place, London WC1E 6BT, UK. E-mail: mbatty@geog.ucl.ac.uk

Allan J. Brimicombe

Centre for Geo-Information Studies, University of East London,
Longbridge Road, Dagenham, Essex RM8 2AS, UK.
E-mail: a.j.brimicombe@uel.ac.uk

James D. Brown

Institute for Biodiversity and Ecosystem Dynamics, Universiteit van
Amsterdam, Nieuwe Achtergracht 166, 1018 WV Amsterdam, The Netherlands.
E-mail: brown@science.uva.nl

Chris Brunsdon

Department of Geography, University of Leicester, University Road, Leicester
LE1 7RH, UK. E-mail: cb179@lei.ac.uk

William E. Cartwright

School of Mathematical and Geospatial Sciences, RMIT University, Melbourne,
Victoria 3001, Australia. E-mail: w.cartwright@rmit.edu.au

Martin E. Charlton

National Centre for Geocomputation, National University of Ireland, Maynooth,
Ireland. E-mail: martin.charlton@may.ie

George C. H. Cho

Division of Health, Design and Science, University of Canberra, Canberra, ACT 2601, Australia. E-mail: george.cho@canberra.edu.au

David J. Cowen

Department of Geography, University of South Carolina, Columbia, SC 29208, USA. E-mail: cowend@gwm.sc.edu

Peter H. Dana

PO Box 1297, Georgetown, TX 78627, USA. E-mail: pdana@pdana.com

Yongxin Deng

Department of Geography, Western Illinois University, Macomb, IL 61455-1390, USA. E-mail: Y-Deng2@wiu.edu

Sara I. Fabrikant

Department of Geography, University of Zurich, Winterthurestrasse 190, CH-8057 Zurich, Switzerland. E-mail: sara@geo.unizh.ch

Peter F. Fisher

School of Informatics, City University, Northampton Square, London, EC1V 0HB, UK. E-mail: pff1@soi.city.ac.uk

Frederico Fonseca

School of Information Sciences and Technology, Pennsylvania State University, University Park, PA 16802-6823, USA. E-mail: fredfonseca@ist.psu.edu

A. Stewart Fotheringham

National Centre for Geocomputation, National University of Ireland, Maynooth, Ireland. E-mail: stewart.fotheringham@may.ie

Mark Gahegan

GeoVISTA Center, Department of Geography, Pennsylvania State University, University Park, PA 16802, USA. E-mail: mng1@psu.edu

John C. Gallant

CSIRO Land and Water, GPO Box 1666, Canberra ACT 2601, Australia. E-mail: john.gallant@csiro.au

Michael F. Goodchild

National Center for Geographic Information and Analysis, Department of Geography, University of California, Santa Barbara, CA 93106-4060, USA. E-mail: good@geog.ucsb.edu

Trevor M. Harris

Department of Geology and Geography, West Virginia University, Morgantown, WV 26506, USA. E-mail: trevor.harris@mail.wvu.edu

Gerard B.M. Heuvelink

Laboratory of Soil Science and Geology, Wageningen University and Research Centre, PO Box 37, 6700 AA, Wageningen, The Netherlands.
E-mail: gerard.heuvelink@wur.nl

Michael F. Hutchinson

Centre for Resource and Environmental Studies, Australian National University, Canberra ACT 0200, Australia. E-mail: hutch@cres.anu.edu.au

Geoffrey M. Jacquez

BioMedware, Inc., 515 North State Street, Ann Arbor, MI 48104-1236, USA.
E-mail: jacquez@biomedware.com

Piotr Jankowski

Department of Geography, San Diego State University, 5500 Campanile Drive, San Diego, CA 92182-4493, USA. E-mail: piotr@typhoon.sdsu.edu

Christopher B. Jones

Department of Computer Science, Cardiff University, Newport Road, PO Box 916, Cardiff, Wales CF24 3XF, UK. E-mail: c.b.jones@cs.cardiff.ac.uk

Joseph J. Kerski

Environmental Systems Research Institute, Inc., 1 International Court, Broomfield, CO 80021-3200, USA. E-mail: jkerski@esri.com

Craig A. Knoblock

Information Sciences Institute, University of Southern California, Marina del Rey, CA 90292, USA. E-mail: knoblock.isi.edu

Brian G. Lees

School of Physical, Environmental and Mathematical Sciences, University of New South Wales at the Australian Defence Force Academy, Canberra, ACT 2600, Australia. E-mail: b.lees@adfa.edu.au

William A. Mackaness

School of Geosciences, University of Edinburgh, Drummond Street, Edinburgh, Scotland, EH8 9XP, UK. E-mail: william.mackaness@ed.ac.uk

David J. Martin

School of Geography, University of Southampton, Highfield, Southampton SO17 1BJ, UK. E-mail: d.j.martin@soton.ac.uk

Harvey J. Miller

Department of Geography, University of Utah, Salt Lake City, UT 84112-9155, USA. E-mail: harvey.miller@geog.utah.edu

Ashley Morris

School of Computer Science, Telecommunications, and Information Systems, DePaul University, Chicago, IL 60604, USA. E-mail: amorris@cti.depaul.edu

Timothy L. Nyerges

Department of Geography, University of Washington, Seattle, WA 98195-3550, USA. E-mail: nyerges@u.washington.edu

Ross S. Purves

Department of Geography, University of Zurich – Irchel, Winterthurerstr. 190, CH-8057 Zurich, Switzerland. E-mail: rsp@geo.unizh.ch

Andreas Reuter

European Media Laboratory, Schloss-Wolfsbrunnenweg 33, 69118 Heidelberg, Germany. E-mail: andreas.reuter@eml.org

Vincent B. Robinson

Department of Geography, University of Toronto, Mississauga, Ontario L5L 1C6, Canada. E-mail: vbr@eratos.erin.utoronto.ca

Cyrus Shahabi

Integrated Media Systems Center, Viterbi School of Engineering, University of Southern California, Los Angeles, CA 90089-2561, USA. E-mail: cshahabi@pollux.usc.edu

Shashi Shekhar

Department of Computer Science and Engineering, University of Minnesota, Minneapolis, MN 55455, USA. E-mail: shekhar@cs.umn.edu

André Skupin

Department of Geography, San Diego State University, San Diego, CA 92182-4493, USA. E-mail: skupin@mail.sdsu.edu

Nicholas J. Tate

Department of Geography, University of Leicester, Leicester LE1 7RH, UK. E-mail: n.tate@le.ac.uk

David L. Tulloch

Center for Remote Sensing and Spatial Analysis, Rutgers, State University of New Jersey, New Brunswick, NJ 08904, USA. E-mail: dtulloch@crssa.rutgers.edu

Ranga Raju Vatsavai

Department of Computer Science and Engineering, University of Minnesota, Minneapolis, MN 55455, USA. E-mail: vatsavai@cs.umn.edu

Daniel Weiner

Department of Geology and Geography, West Virginia University, Morgantown, WV 26506, USA. E-mail: daniel.weiner@mail.wvu.edu

John P. Wilson

Department of Geography, University of Southern California, Los Angeles, CA 90089-0255, USA. E-mail: jpwilson@usc.edu

May Yuan

Department of Geography, University of Oklahoma, Norman, OK 73019-1007, USA. E-mail: myuan@ou.edu

A-Xing Zhu

Department of Geography, University of Wisconsin, Madison, WI 53706-1404, USA. E-mail: azhu@facstaff.wisc.edu

Alexander Zipf

Department of Geoinformatics and Surveying, University of Applied Sciences FH Mainz, 561156 Mainz, Germany. E-mail: zipf@geoinform.fh-mainz.de